

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0136
Expires: November 30, 2000



APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. 14-20-H62-3016
1b. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name Ute
2. Name of Operator Coastal Oil & Gas Corporation		7. Unit or CA Agreement Name and No. 9C-000210
3a. Address P.O. Box 1148, Vernal, UT 84078	3b. Phone No. (include area code) (435) 781-7023	8. Lease Name and Well No. Tabbee #3-120
4. Location of Well (Report location clearly and in accordance with any State requirements)* At surface SW/NE 1440' FNL & 1930' FEL At proposed prod. zone		9. API Well No. 43-047-33682
14. Distance in miles and direction from nearest town or post office* 3.8 Miles southeast of Ouray, UT		10. Field and Pool, or Exploratory Ouray
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drg. unit line, if any) 1440'		11. Sec., T., R., M., or Blk. and Survey or Area Sec. 3, T9S, R20E
16. No. of Acres in lease 161.14		12. County or Parish Uintah
17. Spacing Unit dedicated to this well N/A		13. State UT
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Refer to Topo C		20. BLM/BIA Bond No. on file 114066-A U-605382-9
19. Proposed Depth 8100'		21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4652.6' Ungraded GL
22. Approximate date work will start* Upon Approval		23. Estimated duration To Be Determined

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification.
- Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature 	Name (Printed/Typed) Cheryl Cameron	Date 9/26/00
Title Senior Regulatory Analyst		
Approved by (Signature) 	Name (Printed/Typed) BRADLEY G. HILL	Date 10/4/00
Title Office RECLAMATION SPECIALIST III		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on Reverse)

Federal Approval of this
Action is Necessary

RECEIVED

OCT 02 2000

DIVISION OF
OIL, GAS AND MINING

T9S, R20E, S.L.B.&M.

COASTAL OIL & GAS CORP.

Well location, TABBEE #3-120, located as shown in the SW 1/4 NE 1/4 of Section 3, T9S, R20E, S.L.B.&M., Uintah County, Utah.

3/4" Buried Brass
Cap, Old Bent
Steel Post

N89°52'38"E 5313.52' (Meas.)


T8S
T9S

Section Corner
Re-Established

91°16'
(G.L.O.)

BASIS OF ELEVATION

BENCH MARK 43 EAM AT THE EAST ABUTMENT ON THE SOUTH END GREEN RIVER BRIDGE LOCATED IN THE NW 1/4 OF SECTION 33, T8S, R20E, S.L.B.&M. TAKEN FROM THE OURAY QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4666 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR
REGISTRATION NO. 181519
STATE OF UTAH

Revised: 09-13-00 D.R.B.

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 12-02-99	DATE DRAWN: 01-03-00
PARTY B.B. J.H. D.R.B.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE COASTAL OIL & GAS CORP.	

TABBEE #3-120

Elev. Ungraded Ground = 4653'

WHITE RIVER

3

1930'
(Comp.)

1440'

LOT 1

LOT 2

LOT 3

LOT 4

S67°15'39"E
3706.34'

10°52'W - G.L.O. (Basis of Bearings)
5437.43' - (Measured)

N00°35'W - 39.75' (G.L.O.)

1968 Brass Cap
1.0' High, Mound
of Stones

Brass Cap

S89°51'22"W 5322.99 (Meas.)

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

LATITUDE = 40°04'02"
LONGITUDE = 109°39'00"

COASTAL OIL & GAS CORP.

TABBEE #3-120

LOCATED IN UTAH COUNTY, UTAH

SECTION 3, T9S, R20E, S.L.B.&M.



PHOTO: VIEW FROM BEGINNING OF PROPOSED ROAD

CAMERA ANGLE: SOUTHEASTERLY



- Since 1964 -

UELS

Uintah Engineering & Land Surveying

85 South 200 East Vernal, Utah 84078

435-789-1017 uels@uelsinc.com

LOCATION PHOTOS

9 14 00
MONTH DAY YEAR

PHOTO

TAKEN BY: B.B.

DRAWN BY: J.L.G.

REVISED: 00-00-00

**TABBEE #3-120
SW/NE SEC. 3, T9S, R20E
UINTAH COUNTY, UTAH
LEASE NUMBER: 14-20-H62-3016
ONSHORE ORDER NO. 1
COASTAL OIL & GAS CORPORATION**

DRILLING PROGRAM

1. Estimated Tops of Important Geologic Markers:

<u>Formation</u>	<u>Depth</u>
KB	4670'
Green River	2100'
Wasatch	5600'
Total Depth	7600'

2. Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
	Green River	2100'
Gas	Wasatch	5600'
Water	N/A	
Other Minerals	N/A	

3. Pressure Control Equipment:

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

4. Proposed Casing & Cementing Program:

Refer to the attached Cement & Casing Program.

5. Drilling Fluids Program:

Refer to the attached Drilling Program.

6. Evaluation Program:

Please see the Natural Buttes Unit SOP.

7. Abnormal Conditions:

Maximum anticipated bottomhole pressure at 7600' TD approximately equals 3,040 psi (calculated at 0.4 psi/foot).

RECEIVED

OCT 02 2000

DIVISION OF
OIL, GAS AND MINING

Maximum anticipated surface pressure equals approximately 1,368 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. **Anticipated Starting Dates & Notification of Operations:**

Please see the Natural Buttes Unit SOP.

9. **Variances:**

Please see the Natural Buttes Unit SOP.

10. **Other Information:**

Please see the Natural Buttes Unit SOP.

RECEIVED

OCT 02 2000

DIVISION OF
OIL, GAS AND MINING

TABBEE #3-120
SW/NE Sec. 3, T9S, R20E
UINTAH COUNTY, UTAH
LEASE NUMBER: 14-20-H62-3016

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the Tabbee #3-120 on 9/19/00. In attendance at the inspection were the following individuals:

Debbie Harris	Coastal Oil & Gas Corporation	Laura Romin	USF&WLS
Carroll Estes	Coastal Oil & Gas Corporation	Jessica Goudy	USF&WLS
Carroll Wilson	Coastal Oil & Gas Corporation	Sue Bilby	Uinta Paleo
Clay Einerson	Coastal Oil & Gas Corporation	Dave Irving	USF&WLS
Greg Darlington	Bureau of Land Management	Tim Moddle	USF&WLS
Charlie Cameron	Bureau of Indian Affairs	Mike Montoya	Ute Tribe
Alvin Ignacio	Ute Tribe	Charles Chapoose	Ute Tribe
Robert Kay	Uintah Engineering & Land Surveying	Jim Justice	J&L Oilfield Serv.
Gary Scott	Jackson Construction	Ferron Secakuku	Ute Tribe
Billy McClure	John E. Faucett Construction	Manuel Myore	BIA
John Faucett	John E. Faucett Construction	Dave Murray	Tribe Realty
Rick Hauck	AERC		

1. Existing Roads:

Refer to Topo Map A for directions to the location.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

2. Planned Access Roads:

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

Refer to Topo Map B for the location of the proposed access road.

3. Location of Existing Wells Within a 1-Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Production facilities will consist of a conventional wellhead and allocation gas metering. The wellhead controls will be elevated to allow for a continuous production during seasonal high water conditions, as stated in the *Final Ouray Environmental Assessment 2.1.3, Production Operation*.

Refer to Topo D for the proposed pipeline.

RECEIVED

OCT 02 2000

DIVISION OF
OIL, GAS AND MINING

5. **Location and Type of Water Supply:**

Please see the Natural Buttes Unit SOP.

6. **Source of Construction Materials:**

Please see the Natural Buttes Unit SOP.

TAMARISK – The USF&WLS, Ute Tribal Technician, and a qualified Archaeologist shall monitor the construction of the location, as discussed during the on-site inspection

7. **Methods of Handling Waste Materials:**

Drilling fluids, including salts and chemicals, will be contained in the *Closed-Loop System*. Upon termination of drilling and completion operations, the liquid contents will be removed and disposed of at an approved waste disposal facility after drilling is terminated.

The *Closed-Loop System* will be utilized and set-up in the area normally utilized for a reserve pit. Refer to the Location Layout, and Figure 4-22.

8. **Ancillary Facilities:**

Please see the Natural Buttes Unit SOP.

9. **Well Site Layout:** (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s). *This section has been modified as a result of the on-site inspection. A Closed-Loop System shall be utilized. Refer to Figure 4-22.*

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

10. **Plans for Reclamation of the Surface:**

Please see the Natural Buttes Unit SOP.

11. **Surface Ownership:**

Ute Indian Tribe

RECEIVED

OCT 02 2000

DIVISION OF
OIL, GAS AND MINING

12. Other Information:

A Class III archaeological survey has been conducted. A copy of this report was submitted to the Ute Indian Tribe, prior to the on-site inspection.

13. Lessee's or Operators's Representative & Certification:

Cheryl Cameron
Senior Regulatory Analyst
Coastal Oil & Gas Corporation
P.O. Box 1148
Vernal, UT 84078
(435) 781-7023

Tom Young
Drilling Manager
Coastal Oil & Gas Corporation
9 Greenway Plaza, Suite 2770
Houston, TX 77046
(713) 418-4156

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Coastal Oil & Gas Corporation is considered to be the operator of the subject well. Coastal Oil & Gas Corporation agrees to be responsible under terms and conditions of the lease for the operations conducted Upon leased lands.

Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Coastal Oil & Gas Corporation Bond #102103, BLM Nationwide Bond #U-605382-9, and BIA Nationwide Bond #114066-A.

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.



Cheryl Cameron

9/26/00
Date

RECEIVED

OCT 02 2000

DIVISION OF
OIL, GAS AND MINING



LEGEND:

○ PROPOSED LOCATION

COASTAL OIL & GAS CORP.

TABBIE #3-120

SECTION 3, T9S, R20E, S.L.B.&M.

1440' FNL 1930' FEL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813




TOPOGRAPHIC
 MAP

12 6 99
 MONTH DAY YEAR

SCALE: 1:100,000 DRAWN BY: J.L.G. REVISED: 9-12-00





LEGEND:

--- PROPOSED ACCESS ROAD
 --- EXISTING ROAD



COASTAL OIL & GAS CORP.

TABBEE #3-120
 SECTION 3, T9S, R20E, S.L.B.&M.
 1440' FNL 1930' FEL

U
E
S


Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
 MAP

12 6 99
 MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 9-12-00

B
 TOPO



LEGEND:

- | | |
|-------------------|-------------------------|
| ⊗ DISPOSAL WELLS | ⊗ WATER WELLS |
| ● PRODUCING WELLS | ⊗ ABANDONED WELLS |
| ⊙ SHUT IN WELLS | ⊗ TEMPORARILY ABANDONED |



COASTAL OIL & GAS CORP.

TABBEE #3-120

SECTION 3, T9S, R20E, S.L.B.&M.

1440' FNL 1930' FEL




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP

12	6	99
MONTH	DAY	YEAR

SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 9-12-00





APPROXIMATE TOTAL PIPELINE DISTANCE = 1250' +/-

LEGEND:

- EXISTING PIPELINE
- PROPOSED PIPELINE
- PROPOSED ACCESS

COASTAL OIL & GAS CORP.

TABBEE #3-120

SECTION 3, T9S, R20E, S.L.B.&M.

1440' FNL 1930' FEL



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP

12 6 99
MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 9-12-00




COASTAL OIL & GAS CORP.

LOCATION LAYOUT FOR

TABBE #3-120

SECTION 3, T9S, R20E, S.L.B.&M.

1440' FNL 1930' FEL



SCALE: 1" = 50'
DATE: 09-13-00
Drawn By: D.R.B.

GRADE
El. 52.6'

GRADE
El. 52.6'

GRADE
El. 52.6'

Sta. 3+25



Sta. 1+50

GRADE
El. 52.6'

Sta. 0+00

GRADE
El. 52.6'

GRADE
El. 52.6'

GRADE
El. 52.6'

Proposed Access Road

NOTES:

Elev. Ungraded Ground At Loc. Stake = 4652.6'

FINISHED GRADE ELEV. AT LOC. STAKE = 4652.6'

RECEIVED

OCT 02 2000

DIVISION OF
OIL, GAS AND MINING

FIGURE #1

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (435) 789-1017


COASTAL OIL & GAS CORP.

TYPICAL CROSS SECTIONS FOR

TABBEE #3-120



SECTION 3, T9S, R20E, S.L.B.&M.

1440' FNL 1930' FEL



DATE: 09-13-00

Drawn By: D.R.B.



RECEIVED

OCT 02 2000

DIVISION OF
OIL, GAS AND MINING

FIGURE #2


APPROXIMATE YARDAGES

TOTAL CUT = 2,330 CU.YDS.

TOTAL FILL = 2,330 CU.YDS.
(Non-Native
Material)

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (435) 789-1017

Figure 4-22 Closed Loop Solids System: Unweighted Fluid



RECEIVED


OCT 02 2000

DIVISION OF
OIL, GAS AND MINING

COASTAL OIL & GAS CORPORATION

DRILLING PROGRAM

COMPANY NAME	Coastal Oil & Gas Corporation	DATE	8/31/00
WELL NAME	Tabbee #3-120	TD	8,100' MD/TVD
FIELD	Ouray	COUNTY	Uintah
		STATE	Utah
		ELEVATION	4,670' KB
SURFACE LOCATION	1943' FNL & 1933' FWL of Section 3, T9S-R20E	BHL	Straight Hole
OBJECTIVE ZONE(S)	Lower Green River, Wasatch		
ADDITIONAL INFO	Closed loop system		



COASTAL OIL & GAS CORPORATION
DRILLING PROGRAM

CASING PROGRAM

	SIZE	INTERVAL	WT.	GR.	CPLG.	DESIGN FACTORS		
						BURST	COLLAPSE	TENSION
CONDUCTOR	14"	0-40'				2950	1730	263000
SURFACE	8-5/8" (new)	0-450'	24#	K-55	STC	11.69	8.21	4.33
						5350	4960	180000
PRODUCTION*	4-1/2" (new)	0-TD	11.6#	K-55	LTC	1.87	1.18	1.25

- 1) Maximum Anticipated Surface Pressure (MASP) (Conductor and Surface Casings) = (Frac Gradient at Shoe - Gas Gradient (0.115 psi/ft))(TVD)
- 2) MASP (Int Casing) = Pore Pressure at Next Casing Point - (Gas Gradient x TVD of Next Casing Point x 0.67) - (Mud Weight x TVD x 0.052 x 0.33)
- 3) MASP (Prod Casing) = Pore Pressure - (Gas Gradient x TVD of Production Interval)
- (Burst Assumptions: FG @ 8-5/8" shoe = 13.0 ppg, Max Pore Pressure = 9.0 ppg EMW)
- (Collapse Assumption: Fully Evacuated Casing, Max MW) (Tension Assumptions: Air Weight of Casing, 50,000 lbs overpull)

CEMENT PROGRAM

	FT. OF FILL	DESCRIPTION	SACKS	EXCESS*	WEIGHT	YIELD
SURFACE	450	Class G + 2% CaCl ₂ + 0.25 lb/sk Cello Flake	150	35%	15.80	1.17
PRODUCTION	5300	Hilift + 12% D20 + 3% D44 + 1% D79 + 0.75% D112 + 0.2% D46 + 0.25 lb/sk D29	610	100%	11.00	3.81
		50/50 POZ + 2% D20 + 2% D174 + 0.25% D65 + 0.2% D46	890	75%	14.3	1.27

* or 15% over caliper log


FLOAT EQUIPMENT & CENTRALIZERS

SURFACE	Guide shoe, 1 jt, float collar. Centralize first 3 joints & every third joint to surface with bow spring centralizers. Thread lock FE up to & including pin end of FC.
PRODUCTION	
	Guide shoe, 1 jt, float collar. Centralize first 3 joints & every third joint to top of tail cement with bow spring centralizers.

RECEIVED

OCT 02 2000

WELLHEAD EQUIPMENT



TREE	2-1/16" 5M
TUBING HEAD	11" 3M X 7-1/16" 5M
CASING SPOOL	
CASING SPOOL	
CASING HEAD	8-5/8" SOW X 11" 3M

DIVISION OF
OIL, GAS AND MINING

COASTAL OIL & GAS CORPORATION
DRILLING PROGRAM

BIT PROGRAM

ROCK BIT & PDC BIT PROGRAM						
INTERVAL	HOLE	BIT MFG & MODEL	GPM	SERIAL	NZLS	COMMENTS
Surface Hole	11"	Various				
Surf Csg - Green River	7-7/8"	SEC 2665 RV	400	Rental	1.1 sqin TFA	Mud Motor
Green River - 6,000'	7-7/8"	STC F4H	400	New	18-18-18	Mud Motor
6,000' - TD	7-7/8"	RR Bit 1	350	Rental	1.1 sqin TFA	Mud Motor

Drill with Bit 1 into the Green River. Watch trends and penetration rates, when bit slows to 70 fph, trip for insert.

ROP with should be approximately 70-80 fph in the top portion of the Green River. When ROP slows to 20-30 fph and the thick sand at the top of the Wasatch has been drilled, trip for bit 1.

GEOLOGICAL DATA

LOGGING:

Depth	Log Type
SC - TD	Platform Express

MUD LOGGER:	2,500' - TD only if required by Geology
SAMPLES:	As per Geology
CORING:	NA
DST:	NA

MUD PROGRAM

DEPTH	TYPE	MUD WT	WATER LOSS	VISCOSITY	TREATMENT
SC-TD	Polymer Water	Water	NC	27	Polymer, Lime

Closed loop mud system.

Circulate hole until clean @ TD. Spot brine pill at TD for casing. Eliminate corrosion chemicals.

Monitor corrosion with coupons.

ADDITIONAL INFORMATION

Test casing head to 750 psi after installing. Test surface casing to 1,500 psi prior to drilling out.

BOPE: 11" 3M with one annular and 2 rams. Test to 3,000 psi (annular to 1,500 psi) prior to drilling out. Record on chart recorder & tour sheet. Function test rams on each trip. Maintain safety valve & inside BOP on rig floor at all times. Kelly to be equipped with upper & lower kelly valves.

Run Totco surveys every 1500'. Maximum allowable hole angle is 5 degrees.

PROJECT ENGINEER:	Christa Yin
PROJECT MANAGER:	Tom Young

DATE:	
DATE:	

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 10/02/2000

API NO. ASSIGNED: 43-047-33682

WELL NAME: TABBEE 3-120

OPERATOR: COASTAL OIL & GAS CORP (N0230)

CONTACT: CHERYL CAMERON

PHONE NUMBER: 435-781-7023

PROPOSED LOCATION:

SWNE 03 090S 200E

SURFACE: 1440 FNL 1930 FEL

BOTTOM: 1440 FNL 1930 FEL

UINTAH

NATURAL BUTTES (630)

LEASE TYPE: 2-Indian

LEASE NUMBER: 14-20-H62-3016

SURFACE OWNER: 2-Indian

PROPOSED FORMATION: WSTC

INSPECT LOCATN BY: / /

Tech Review	Initials	Date
Engineering		
Geology		
Surface		

RECEIVED AND/OR REVIEWED:

☒ Plat

☒ Bond: Fed[] Ind[2] Sta[] Fee[]
(No. 114066-A)

☒ Potash (Y/N)

☒ Oil Shale (Y/N) *190 - 5 (B)

☒ Water Permit

(No. 43-8496)

☒ RDCC Review (Y/N)

(Date: _____)

☒ Fee Surf Agreement (Y/N)

LOCATION AND SITING:

☐ R649-2-3. Unit _____

☐ R649-3-2. General

Siting: _____

☐ R649-3-3. Exception

☒ Drilling Unit

Board Cause No: 173-13 (8/3207)

Eff Date: 3-24-99

Siting: 460' fr. Dr. Unit Boundary & 920' between wells.

☐ R649-3-11. Directional Drill

COMMENTS:

* NBK & Ouray Field, Sol, separate file.

STIPULATIONS:

① FEDERAL APPROVAL
② OIL SHALE




Utah Oil Gas and Mining

OPERATOR: COASTAL O&G CORP (N0230)

FIELD: NATURAL BUTTES (630)

SEC. 3 & 4, T9S, R20E,

COUNTY: UINTAH CAUSE: 173-13 (8/320')



PREPARED BY: LCORDOVA
DATE: 3-OCTOBER-2000



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210

PO Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

October 4, 2000

Coastal Oil & Gas Corporation
PO Box 1148
Vernal, UT 84078


Re: Tabbee 3-120 Well, 1440' FNL, 1930' FEL, SW NE, Sec. 3, T. 9 South, R. 20 East,
Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33682.

Sincerely,



John R. Baza
Associate Director

er

Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: Coastal Oil & Gas Corporation

Well Name & Number Tabbee 3-120

API Number: 43-047-33682

Lease: 14-20-H62-3016

Location: SW NE **Sec.** 3 **T.** 9 South **R.** 20 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338
- Contact Robert Krueger at (801) 538-5274.

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. In accordance with Order in Cause No. 190-5(b) dated October 28, 1982, the Operator shall comply with requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operator shall ensure that the surface and/or production casing is properly cemented over the entire oil shale interval as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the Division.

5. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0136
Expires: November 30, 2000

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work ☒ DRILL ☐ REENTER
1b. Type of Well ☐ Oil Well ☒ Gas Well ☐ Other ☐ Single Zone ☐ Multiple Zone

2. Name of Operator
Coastal Oil & Gas Corporation

3a. Address
P.O. Box 1148, Vernal, UT 84078

3b. Phone No. (include area code)
(435) 781-7023

4. Location of Well (Report location clearly and in accordance with any State requirements)
At surface SW/NE 1440' FNL & 1930' FEL
At proposed prod. zone

14. Distance in miles and direction from nearest town or post office*

3.8 Miles southeast of Ouray, UT

15. Distance from proposed*
location to nearest
property or lease line, ft.
(Also to nearest drg. unit line, if any)

1440'

16. No. of Acres in lease

161.14

17. Spacing Unit dedicated to this well

N/A

18. Distance from proposed location*
to nearest well, drilling, completed,
applied for, on this lease, ft.

Refer to Topo C

19. Proposed Depth

8100'

20. BLM/BIA Bond No. on file

U-605382-9

21. Elevations (Show whether DF, KDB, RT, GL, etc.)

4652.6' Ungraded GL

22. Approximate date work will start*

Upon Approval

23. Estimated duration


To Be Determined



24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

1. Well plat certified by a registered surveyor.
2. A Drilling Plan
3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).

4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
5. Operator certification.
6. Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature 
Title Senior Regulatory Analyst
Name (Printed/Typed) Cheryl Cameron
Date 9/26/00

Approved by (Signature) 
Title Assistant Field Manager
Name (Printed/Typed) 
Date 05/14/2001
Office NOTICE OF APPROVAL

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on Reverse)

RECEIVED
CONDITIONS OF APPROVAL ATTACHED
MAY 21 2001

DIVISION OF
OIL, GAS AND MINING

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Coastal Oil & Gas Corporation

Well Name & Number: TABBEE #3-120

API Number: 43-047-33682

Lease Number: 14-20-H62-3016

Location: SWNE Sec. 03 T. 09S R. 20E

Agreement: C.A. 9C-210

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. **DRILLING PROGRAM**

1. **Casing Program and Auxiliary Equipment**

As a minimum, the usable water and other mineral resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Green River Formation, identified at $\pm 1,935$ ft.

**SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

Coastal Oil and Gas Corporation (Coastal) will assure the Ute Tribe that any/all contractors and subcontractors have acquired a current Tribal Business License and have updated "Access Permits" prior to construction. All Coastal personnel, contractors and subcontractors will have these permits in their vehicles at all times. Companies that have not complied with this COA will be in violation of the Ute Tribal Business License Ordinance, and will be subject to fines and penalties.

Coastal employees, representatives, and/or authorized personnel (subcontractors) shall not carry firearms on their person or in their vehicles while working on the Uintah and Ouray Indian Reservation.

Coastal employees and/or authorized personnel (subcontractors) in the field will have approved applicable APDs and/or ROW permits/authorizations on their person(s) during all phases of construction.

Coastal will notify the Ute Tribe and Bureau of Indian Affairs (BIA) in writing of any requested modification of APDs or Rights-Of Way (ROW). Coastal shall receive written notification of authorization or denial of the requested modification. Without authorization, Coastal will be subject to fines and penalties.

The Ute Tribe Energy & Minerals Department shall be notified in writing 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday. A Tribal Technician is to routinely monitor construction. Coastal shall make arrangements with the Ute Energy & Minerals Department for all monitoring that will exceed regular working hours for Tribal Technicians. A qualified Archaeologist accompanied by a Tribal Technician will monitor any trenching required for the construction of the pipeline. Coastal is to inform contractors to maintain construction of the pipelines within approved 60 foot right of ways.

A corridor ROW, 60 feet wide, shall be granted for pipeline and that ROW would be shared with the access road. The constructed travel width of the access road will be limited to 18 feet. Upon authorization by the Ute Tribe Energy & Minerals Department, the ROW may be wider where sharp curves; deep cuts and fills occur; or, where intersections with other roads are required. Upon completion of each pipeline in the corridor an adequate description of the pipeline will be filed with the Ute Tribe Energy & Minerals Department.

Upon completion of the pertinent APD and ROWs, Coastal will notify the Ute Tribe Energy & Minerals Department for a Tribal Technician to verify the Affidavit of Completion.

Production waters, oil, and other byproducts shall not be placed on access roads or the well pad.

All vehicular traffic, personnel movement, construction and restoration operations will be confined to the areas examined and approved and to the existing roadways and/or evaluated access routes.

Coastal will implement "Safety and Emergency Plan" and ensure plan compliance.

Coastal shall stop construction activities and notify personnel from the Ute Tribe Energy & Minerals Department and BIA if cultural remains including paleontologic resources (vertebrate fossils) are exposed or identified during construction. The Ute Tribe Department of Cultural Rights and Protection and the BIA will provide mitigation measures prior to allowing construction.

Coastal employees and/or authorized personnel (subcontractors) will not be allowed to collect artifacts and paleontologic fossils. No significant cultural resources shall be disturbed.

Coastal will control noxious weeds on the well site and ROWs. Coastal will be responsible for noxious weed control if weeds spread from the project area onto adjoining land.

Because this well is considered a floodplain well, Coastal shall use a closed loop drilling system as stated in the APD.* The closed loop drilling system will be utilized and set up in the area normally utilized for a reserve pit and operations will be conducted according to the methods of handling waste materials outlined in the APD Surface Use Plan item 7.

A closed system will be used during production. This means that production fluids will be contained in leak-proof tanks. All production fluids will be disposed of at approved disposal sites.

Buried pipelines shall be buried a minimum of 3 feet below the soil surface. After construction is completed the disturbed area shall be contoured to blend into the natural landscape and be reseeded between September 15 and November 1 of the year following construction with perennial vegetation seed mixture provided by the BIA or Ute Tribe.

Before the site is abandoned, Coastal will be required to restore the well site and ROWs to near their original state. The disturbed areas will be reseeded with desirable perennial vegetation.

Soil erosion will be mitigated by reseeding all disturbed areas.

For every tree removed due to construction of this project, there will be 4 planted..

Raptor Surveys will be done yearly to determine if any active nests are within one half mile of the location and if additional precautions and measures are needed during the raptor nesting season.

*Floodplain Stipulations apply for the project proposed in this APD. The following is a list of them.

The following Surface Protection / Rehabilitation conditions apply for Coastal wells in the floodplains:

- Coastal will strictly follow the procedures approved for down hole drilling operations.
- Coastal's Construction activities will be monitored by Tribal Technicians and BIA.

-Coastal will not conduct drilling operations or construction activities in the 100 year floodplains during seasonal high water conditions.

-Coastal will design and construct well pads and roads so as not to impede surface water flow or interfere with fish movements during high water seasons. Also locations shall have drainage designed and installed to allow for natural flow movement of receding floodwaters. The tundra pad, and gravel base will be installed across floodplain areas for well pads and well locations and removed by Coastal or Coastal's subcontractors prior to seasonal high water conditions.

-Coastal will periodically pressure test all buried pipelines which cross floodplain habitat to ensure that the buried pipelines are free of leaks and are in good condition.

-If the river channel moves within 100 feet of the well head, the Coastal shall shut the well in and plug it immediately unless geologic or hydro-morphology survey determines that the well head is not of risk for damage from the river.

-Coastal shall conduct production sampling and report quarterly gas production.

-The Coastal Floodplain Wells shall have a dual pipeline system consisting of a flowline and a pressure relief line. The installation of the pipeline system for each of these wells is limited to a one time excavation.

-All Coastal central tank batteries must be constructed outside of the flood plain.

-Coastal shall use a closed loop drilling system.

-Coastal shall build and maintain well pads and roads at natural ground level.

-Coastal will elevate above ground well heads and Coastal will use telemetry to control flow and shut down of production in emergency situations.

-Coastal will conduct or have subcontractors conduct routine monitoring of soil and water quality for contamination.

-Coastal will maintain daily surveillance of the production operations through the use of Electronic flow meters.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

Exhibit "A"

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR:
El Paso Production Oil & Gas Company

3. ADDRESS OF OPERATOR:

PHONE NUMBER:

8 South 1200 East CITY Vernal STATE Utah ZIP 84078

435-789-4433

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐ NOTICE OF INTENT
(Submit in Duplicate)

Approximate date work will start:

☐ SUBSEQUENT REPORT
(Submit Original Form Only)

Date of work completion:

☐ ACIDIZE

☐ ALTER CASING

☐ CASING REPAIR

☐ CHANGE TO PREVIOUS PLANS

☐ CHANGE TUBING

☐ CHANGE WELL NAME

☐ CHANGE WELL STATUS

☐ COMMINGLE PRODUCING FORMATIONS

☐ CONVERT WELL TYPE

☐ DEEPEN

☐ FRACTURE TREAT

☐ NEW CONSTRUCTION

☐ OPERATOR CHANGE

☐ PLUG AND ABANDON

☐ PLUG BACK

☐ PRODUCTION (START/RESUME)

☐ RECLAMATION OF WELL SITE

☐ RECOMPLETE - DIFFERENT FORMATION

☐ REPERFORATE CURRENT FORMATION

☐ SIDETRACK TO REPAIR WELL

☐ TEMPORARILY ABANDON

☐ TUBING REPAIR

☐ VENT OR FLARE

☐ WATER DISPOSAL

☐ WATER SHUT-OFF

☒ OTHER: Name Change

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708

Coastal Oil & Gas Corporation

NAME (PLEASE PRINT) John T. Elzner

TITLE Vice President

SIGNATURE

DATE 06-15-01

El Paso Production Oil & Gas Company

NAME (PLEASE PRINT) John T. Elzner

TITLE Vice President

SIGNATURE

DATE 06-15-01

(This space for State use only)

RECEIVED

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING

State of Delaware
Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

MAR 14 2001

DIVISION OF
OIL GAS AND MINING



Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

0610204 8100

010162788

AUTHENTICATION: 1061007

DATE: 04-03-01

CERTIFICATE OF AMENDMENT
OF
CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION



David L. Siddall
Vice President

Attest:


Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

JUL 12 2001

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:
3106
UTSL-065841
(UT-924)

JUL 10 2001

NOTICE

El Paso Production Oil & Gas Company : Oil and Gas
Nine Greenway Plaza :
Houston TX 77046-0095 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
~~State of Utah~~, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Uintah and Ouray Agency

P. O. Box 130

988 South 7500 East

Fort Duchesne, Utah 84026-0130

Phone: (435) 722-4300

Fax: (435) 722-2323

IN REPLY REFER TO:
Minerals and Mining
Phone: (435) 722-4310
Fax: (435) 722-2809

August 16, 2001

El Paso Production Company
Attn: Elizabeth R. Williams
Nine Greenway Plaza
Houston, TX 77046-0995

Dear Mrs. Williams:

We are in receipt of the corporate documentation for the name change from Coastal Oil & Gas Corporation to El Paso Production Oil and Gas Company.

All documents appear to be in order, and the approval is hereby authorized to change all records, including change of operator of certain oil and gas wells, Rights-of-Way, Communitization Agreements, Oil and Gas Leases, Exploration and Development Agreements, etc. from Coastal Oil & Gas Corporation to "El Paso Production Oil and Gas Company".

Approval of this name change is August 16, 2001, but effective on March 9, 2001. If you have any questions, please do not hesitate to contact this office.

Respectfully,

Acting Superintendent

RECEIVED

AUG 22 2001

DIVISION OF
OIL, GAS AND MINING

OPERATOR CHANGE WORKSHEET**ROUTING**

1. GLH		4-KAS
2. CDW	✓	5-LP
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X **Merger**The operator of the well(s) listed below has changed, effective: **3-09-2001**

FROM: (Old Operator):
COASTAL OIL & GAS CORPORATION
Address: 9 GREENWAY PLAZA STE 2721
HOUSTON, TX 77046-0995
Phone: 1-(713)-418-4635
Account N0230

TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY
Address: 9 GREENWAY PLAZA STE 2721 RM 2975B
HOUSTON, TX 77046-0995
Phone: 1-(832)-676-4721
Account N1845

CA No.**Unit:****WELL(S)**

NAME	API NO	ENTITY NO	SEC TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
OURAY 34-79	43-047-33291	12551	34-08S-21E	INDIAN	GW	P
SERAWOP 34-161 (9C-178)	43-047-33875	99999	34-08S-21E	INDIAN	GW	APD
PAWWINNEE 34-171 (9C-178)	43-047-33876	13078	34-08S-21E	INDIAN	GW	P
UTE TRIBAL 35-19 (9C-182)	43-047-30665	145	35-08S-21E	INDIAN	GW	P
TRIBAL 35 WELL 51 (9C-182)	43-047-32696	11848	35-08S-21E	INDIAN	GW	P
OURAY 35-80 (9C-182)	43-047-33292	12548	35-08S-21E	INDIAN	GW	P
ANKERPONT 35-95 (9C-182)	43-047-33387	12841	35-08S-21E	INDIAN	GW	P
OURAY 35-151 (9C-182)	43-047-33849	99999	35-08S-21E	INDIAN	GW	APD
UTE TRIBAL 36 17 (9C-205)	43-047-30682	110	36-08S-21E	INDIAN	GW	P
TRIBAL 36 WELL 53 (9C-205)	43-047-32695	11838	36-08S-21E	INDIAN	GW	P
TRIBAL 36-65	43-047-33293	12682	36-08S-21E	INDIAN	GW	P
TRIBAL 36-43	43-047-33718	13243	36-08S-21E	INDIAN	GW	DRL
TRIBAL 31 WELL 55A (84688C)	43-047-32717	11858	31-08S-22E	INDIAN	GW	P
TRIBAL 31-62 (84688C)	43-047-33325	12575	31-08S-22E	INDIAN	GW	P
KURIP 1 27 (CR-168)	43-047-30962	165	01-09S-20E	INDIAN	GW	P
ARCHEE 1-117 (CR-168)	43-047-33388	13031	01-09S-20E	INDIAN	GW	P
ARCHEE 1-118	43-047-33400	99999	01-09S-20E	INDIAN	GW	APD
TRIBAL 2-119	43-047-33389	99999	02-09S-20E	INDIAN	GW	APD
POST 3 24 (9C-210)	43-047-30804	150	03-09S-20E	INDIAN	GW	P
TABBEE 3-120 (9C-210)	43-047-33682	99999	03-09S-20E	INDIAN	GW	APD

OPERATOR CHANGES DOCUMENTATION

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/19/2001
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/19/2001
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/21/2001
- Is the new operator registered in the State of Utah: YES Business Number: 608186-0143

5. If NO, the operator was contacted on: N/A
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 08/16/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: 08/16/2001
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 09/04/2001
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 09/04/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEDERAL BOND VERIFICATION:

1. Federal well(s) covered by Bond No.: N/A

INDIAN BOND VERIFICATION:

1. Indian well(s) covered by Bond No.: 103601473

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond No: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: _____

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso Production Oil and Gas Company shall be retained in the "Operator Change File".

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
El Paso Production

3a. Address
P.O. Box 1148 Vernal, UT 84078

3b. Phone No. (include area code)
(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SW/NE Sec. 3, T9S, R20E
1440' FNL & 1930' FEL

5. Lease Serial No.
14-20-H62-3016

6. If Indian, Allottee or Tribe Name
Ute

7. If Unit or CA/Agreement, Name and/or No.
9C-000210

8. Well Name and No.
Tabbee #3-120

9. API Well No.
43-047-33682

10. Field and Pool, or Exploratory Area
Natural Buttes


11. County or Parish, State
Uintah, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	APD Extension
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

The operator requests that the APD for the subject well be extended for an additional year so that drilling operations may be completed.



Approved by the
Utah Division of
Oil, Gas and Mining

Date: 09-25-01
By: [Signature]

RECEIVED

SEP 17 2001

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
Cheryl Cameron

Title

Regulatory Analyst

Signature

Date

September 14, 2001

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: EL PASO PRODUCTION OIL & GAS COMPANY

Well Name: TABBEE 3-120

Api No. 43-047-33682 LEASE TYPE: INDIAN

Section 03 Township 09S Range 20E County UINTAH

Drilling Contractor SKI DRILLING RIG # BUCKET

SPUDDED:

Date 01/22/2002

Time 8:00 AM

How DRY

Drilling will commence _____

Reported by JIM MURRAY

Telephone # 1-435-828-1730

Date 01/22/2002 Signed: CHD

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
El Paso Production Oil & Gas Company

3a. Address
P.O. Box 1148 Vernal, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SWNE Section 3-T9S-R20E 1440'FNL & 1930'FEL

5. Lease Serial No.

14-20-H62-3016

6. If Indian, Allottee or Tribe Name

Ute Tribe

7. If Unit or CA/Agreement, Name and/or No.

9C-000210

8. Well Name and No.

Tabbee #3-120

9. API Well No.

43-047-33682

10. Field and Pool, or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other SPUD
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

MIRU SKI Bucket Rig. Drilled 24" Conductor hole, Ran 14" Conductor pipe to 105'. Cmt w/287 sx Class G w/2% CaCl₂ .25#/SK CelloFlake @ 15.8 ppg Yield 1.17. Cmt to Surface. Floats Held. SPUD on 1/22/02 at 8:00 a.m.

RECEIVED

JAN 30 2002

**DIVISION OF
OIL, GAS AND MINING**

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Title

Regulatory Analyst

Date

January 28, 2002

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

14-20-H62-3016

6. If Indian, Allottee or Tribe Name

Ute Tribe

7. If Unit or CA/Agreement, Name and/or No.

9C-000210

8. Well Name and No.

Tabbee #3-120

9. API Well No.

43-047-33682

10. Field and Pool, or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, Utah

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

El Paso Production Oil & Gas Company

3a. Address

P.O. Box 1148 Vernal, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well Footage, Sec., T., R., M., or Survey Description)

SWNE Section 3-T9S-R20E 1440'FNL & 1930'FEL

2. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☐ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Temporarily Abandon

☐ Water Disposal

☐ Water Shut-Off

☐ Well Integrity

☒ Other Set Surface Csg

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Surface Csg: Drilled f/105' to 460'. Ran 8 5/8" 24# J-55 ST&C Csg. Set Csg at 453'.

Cmt w/228 sx Class G w/2% CaCl2 .25#/SK CelloFlake @ 15.8 ppg. Yield 1.17

Good Cmt to Surface. WORT

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Title

Regulatory Analyst

Date

January 29, 2002

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Instructions on reverse

RECEIVED

JAN 31 2002

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM - FORM 6

OPERATOR El Paso Production O&G Company
ADDRESS P.O. Box 1148
Vernal, Utah 84078

OPERATOR ACCT. NO. N 1845

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
A	99999	13408	43-047-33682	Tabbee #3-120	SWNE	3	9S	20E	Uintah	1/22/2002	1-28-02 1/22/2002

WELL 1 COMMENTS:
MIRU SKI Bucket Rig
SPUD 1/22/02 at 8:00 a.m.

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		

WELL 2 COMMENTS:

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		

WELL 3 COMMENTS:

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		

WELL 4 COMMENTS:

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		

WELL 5 COMMENTS:


ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was used.
(3/89)

Post-It® Fax Note	7671	Date	# of pages
To	JIM THOMPSON	From	SHEILA UPCHENO
Co./Dept.	UTDDGM	Co.	EL PASO PROD
Phone #	(801) 538-5334	Phone #	(935) 781-7024
Fax #	(801) 359-3940	Fax #	(935) 781-7094

JAN 23 2002


Signature
Regulatory Analyst
Date 01/23/02
Title
Phone No. (435)-781-7024

DIVISION OF
OIL, GAS AND MINING

JAN. 17. 2003 3:34PM

TPORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5409

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Engineer Technician

Encl;



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

**DIVISION OF
OIL, GAS AND MINING**

In Reply Refer To:

3106

UTU-25566 et al

(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.
14-20-H62-3016

6. If Indian, Allottee or Tribe Name
Ute Tribe

7. If Unit or CA/Agreement, Name and/or No.
9C-000210

8. Well Name and No.
Tabbee #3-120

9. API Well No.
43-047-33682

10. Field and Pool, or Exploratory Area
Natural Buttes

11. County or Parish, State
Uintah County, Utah

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
El Paso Production Oil & Gas Company

3a. Address
P.O. Box 1148 Vernal, UT 84078

3b. Phone No. (include area code)
(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SWNE Section 3-T9S-R20E 1440'FNL & 1930'FEL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Final Drilling Summary
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Finished Drilling f/460' to 7625'. Ran 4 1/2" 11.6# K-55 Csg.
Cmt w/365 sx Hilift + 3% Salt + 12% Gel + 1% D79 + 0.5% D112 + 0.2% D46
Tailed w/ 701 sx 50/50 POZ + 10% Salt + 2% Gel + 0.2% D46
Drop Plug Bump Plug No Cmt to Surface
RDMO Released Rig on 2/25/02 at 15:00 Hrs.

RECEIVED

FEB 26 2002

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
Sheila Upchego

Title
Regulatory Analyst

Date
February 26, 2002

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

El Paso Production Oil & Gas Company

3a. Address

P.O. Box 1148 Vernal, UT 84078

3b. Phone No. (include area code)

(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SWNE 1440' FNL & 1930' FEL

Sec. 3, T9S, R20E

5. Lease Serial No.

14-20-H62-3016

6. If Indian, Allottee or Tribe Name

Ute

7. If Unit or CA/Agreement, Name and/or No.

9C-000210

8. Well Name and No.

Tabbee #3-120

9. API Well No.

43-047-33682

10. Field and Pool, or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Well Start-Up
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

The subject well was connected to the CTB #W34N and placed on sales on 3/13/02. The condensate will produce to the CA#4 tankage.

The CTB will have dedicated equipment, including separators, tanks, and meters for each CA or lease at the CTB. No commingling of gas or condensate will take place except in the condensate overflow tank.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Cheryl Cameron

Title

Operations

Signature

Date

March 15, 2002

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

EL PASO
PRODUCTION REPORT
CHRONOLOGICAL HISTORY

TABSEE 3-120
OURAY FIELD
UINTAH COUNTY, UT
WI: 100%
PBSD: PERFS:
CSG:
Spud Date:

AFE DESCR., AFE: 064688
FORMATION:
CWC(MS):

DRILLING REPORT:

Ouray, Uintah, UT Rig: Union 7 WI: 100% AFE: 064688 ATD: 7,600'
SD: Wasatch @ 6,100' DHC: 355 /CWC: 694 /DC: 108/CC: 424
8 5/8" @ 460'

2/11/02	TD: 460	MW: 8.4	MIRU. NU BOP's.
2/12/02	TD: 760	MW: 8.4	307'/4 hrs NU & test BOP's. TIH to TOC. Drill cement & float equipment. Drilling to present depth.
2/13/02	TD: 2,015	MW: 8.4	1,255'/21.5 hrs Drilling to present depth.
2/14/02	TD: 3,079	MW: 8.4	1,064'/22 hrs Drilling to present depth.
2/15/02	TD: 3,749	MW: 8.8	670'/12.5 hrs Drilling to present depth. 3 hrs rig repair. 8 hrs circulate out gas on choke - increase fluid wt from 8.4 to 8.8 ppg w/ brine water.
2/19/02	TD: 5,725	MW: 9.8	539'/22.5 hrs Drilling to present depth.
2/20/02	TD: 5,865	MW: 10.0	140'/10.5 hrs Drill to 5,777'. TFNB. Drilling to present depth.
2/21/02	TD: 6,612	MW: 9.8	747'/22.5 hrs Drilling to present depth.
2/22/02	TD: 7,315	MW: 9.8	703'/23.5 hrs Drilling to present depth.
2/25/02	TD: 7,625	MW: 10.4	C & C mud. LDDP. Run 4 1/2" prod casing. Prepare to cement.
2/26/02	TD: 7,625	MW: 8.4	Cement 4 1/2" prod csg. ND BOP's. Set csg hanger. NU & test tubing head. Clean mud tanks. Rig released @ 1500 hrs, 2/25/02. Move today to Tabbee 34-110.

AFE DESC. DRILL & COMPLETE, AFE #: 064688
WI: 100%
PBSD: 7,577 PERFS: 6,750'-7,402'
CSG: 4 1/2", 11.6#, K-55 LT&C @ 7625'
FORMATION: WASATCH

3/1/02 **PREP TO RIH W/TBG, CO, & PERF**
MIRU. SIH W/3 7/8" MILL.

3/4/02 **READY TO FRAC WASATCH**
RIH 2 3/8" TBG TO PBSD @ 7573'. CIRC HOLE W/120 BBLS 2% KCL. POOH. PT 4 1/2" CSG TO 5000#. RU CUTTERS & RIH TO GR-CCL-CBL, TOC @ 1080 FT. POOH W/LOG TOOLS. RIH W/ 3 3/8" EXPENDABLE GUN. PERFORATE USING 23 GRAM CHARGES, 120 DEG PHASING, 3 SPF, 30 HOLES FROM 7392 TO 7402 FT. POOH & RD CUTTERS. BRK DN PERFS @ 1700#, ISIP 1200#, FG 0.60. TESTED SURF CSG TO 500#, HELD OK. SDFD.

3/5/02 **DRILLING OUT CBPS**
STAGE #1: PUMPED 551 BBLS YF115ST & 50000# 20/40 SD. ISIP: 2179#, NET PRESS INCR: 979#, FG: 0.73, ATP: 2566#, MTP: 3560#, ATR: 23.0, MTR: 26.0.
STAGE #2: RU CUTTERS, PU & RIH 4 1/2" CBP & PERF GUN. SET CBP @ 7150 FT. PUH &

PERF 6974 TO 6984 FT, 3 SPF, 30 HOLES, 23 GRAM CHARGES, 120 DEG PHASING. BRK DN
 PERFS @ 2331#, ISIP: 1889#, FG: 0.64. PUMPED 664 BBLs YF115ST & 66000# 20/40 SD. ISIP:
 1423#, NET PRESS INCR: 234#, FG: 0.64, ATP: 1880#, MTP: 2740#, ATR: 23.6, MTR: 25.0.
STAGE #3: RU CUTTERS, PU & RIH 4 1/2" CBP & PERF GUN. SET CBP @ 6830 FT. PUH &
 PERF 6750 TO 6756 FT, 4 SPF, 24 HOLES, 23 GRAM CHARGES, 90 DEG PHASING. BRK DN
 PERFS @ 1310#, ISIP: 1253#, FG: 0.62. PUMPED 503 BBLs YF115ST & 45960# 20/40 SD. ISIP:
 1500#, NET PRESS INCR: 247#, FG: 0.66, ATP: 1967#, MTP: 2676#, ATR: 23.4, MTR: 27.5.
 RIH W/ 4 1/2" CBP & SET @ 6700 FT. POOH. PU & RIH 3 7/8" MILL TOOTH BIT, PUMP OFF
 SUB, 1 JT, SN & 2 3/8" J-55 TBG. EOT @ 6720 FT. RU DRLG EQUIP. SDFD.

3/6/02 SI WO SALES LINE
 RU AIR FOAM UNIT. EST CIRC. DRILLED OUT PLUGS @ 6700', 6830', & 7150'. TAG SD @
 7540 FT. CONT CO PBTD @ 7573'. CIRC HOLE CLEAN. PUH. LANDED TBG. EOT @ 7340',
 SN @ 7306', HYDRAULIC SET PKR @ 304', SUB SURF SAFETY VALVE @ 49'. NDBOP.
 NUWH. TESTED SSSV. RIH W/SV. PRESSURE UP ON TBG TO 5000#. SET HYDR PKR @
 304'. DROP BALL. PUMPED OFF BIT. TURN WELL OVER TO FBC. TLTR: 1998 BBLs, TLR:
 1093 BBLs, LLTR: 905 BBLs. SPOT RATE: 1000 MCF, TP: 100#, CP: PKR, 273 BW, 0 BC,
 64/64" CHK, 13 HRS.

3/7/02 SI WO SALES LINE
 FLOW BACK 5 HRS ON FULL OPEN CHK. SI @ NOON. FINAL FTP: 90#, 4 BWPH. TLTR:
 1998 BBLs, TLR: 1117 BBLs, LLTR: 881 BBLs.

3/8/02 SI WO SALES LINE.

3/11/02 SI WO SALES LINE.

3/12/02 SI WO SALES LINE.

3/13/02 SI WO SALES LINE.
3/14/02 ON SALES

PLACE ON SALES @ 11:30 AM, 3/13/02. SPOT PROD DATA: FTP: 750#, CP: 0 (PKR),
 2-3 BWPH, 3000 MCFPD.

3/15/02 ON SALES
 FLWD 918 MCF, 20 BW, FTP: 200#, CP: 0 (PKR), 25/64" CHK, 17 HRS, LP: 127#. TLTR: 1998
 BBLs, TLR: 1137 BBLs, LLTR: 861 BBLs.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

El Paso Production Oil & Gas Company

3a. Address

P.O. Box 1148 Vernal, UT 84078

3b. Phone No. (include area code)

(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SWNE 1440' FNL & 1930' FEL
Sec. 3, T9S, R20E

5. Lease Serial No.

14-20-H62-3016

6. If Indian, Allottee or Tribe Name

Ute

7. If Unit or CA/Agreement, Name and/or No.

9C-000210

8. Well Name and No.

Tabbee #3-120

9. API Well No.

43-047-33682

10. Field and Pool, or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Any produced water from the subject well will be contained in a common water tank(s) at the CTB #W34N, Sec. 34, T8S R20E, and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec. 5, T9S, R22E, NBU #159, Sec.35, T9S, R21E, Ace Oilfield, Sec. 2, T6S, R20E, MC&MC, Sec. 12, T6S, R19E

RECEIVED

MAR 18 2002

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Cheryl Cameron

Title

Operations

Signature

Date

March 15, 2002

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

FORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

5. Lease Serial No.
14-20-H62-3016

1a. Type of Well ☐ Oil Well ☒ Gas ☐ Dry ☐ Other
b. Type of Completion: ☒ New ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other _____

2. Name of Operator
El Paso Production Oil & Gas Company

3. Address
P.O. Box 1148 Vernal, UT 84078

3a. Phone No. (include area code)
(435) 781-7023

4. Location of Well (Report locations clearly and in accordance with Federal requirements)*

At surface SWNE 1440' FNL & 1930' FEL

At top prod. interval reported below

At total depth

14. Date Spudded 01/22/02
15. Date T.D. Reached 02/24/02
16. Date Completed ☐ D & A ☐ Ready to Prod. 03/05/02

6. If Indian, Allottee or Tribe Name
Ute

7. Unit or CA Agreement Name and No.
9C-000210

8. Lease Name and Well No.
TABBEE 3-120

9. API Well No.
43-047-33682

10. Field and Pool, or Exploratory
Natural Buttes

11. Sec., T., R., M., or Block and
Survey or Area Sec. 3, T9S, R20E

12. County or Parish
Utah

13. State
UT

17. Elevations (DF, RKB, RT, GL)*
4652.6 Ungraded GL

18. Total Depth: MD 7625' TVD
19. Plug Back T.D.: MD 7573' TVD
20. Depth Bridge Plug Set: MD TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
AZ-2L-TRIPLE LD-CN-GA-3-1-02, BH-PLV-3-1-02,
GR-CCL-CBL-3-1-02

22. Was well cored? ☒ No ☐ Yes (Submit copy)
Was DST run? ☒ No ☐ Yes (Submit copy)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12 1/4	8 5/8	24#	0	455	455	228	Class G		
7 7/8	4 1/2	11.6#	0	7625	7625	365	Hilift		
						701	50/50 Poz		

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Set (MD)
						2 3/8	7340	

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WASATCH	6750	7402	6750-6756	4	24	
B)			6974-6984	3	30	
C)			7392-7402	3	30	
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and type of Material
6750-6756	45,960# 20/40 sand
6974-6984	66,000# 20/40 sand
7392-7402	50,000# 20/40 sand

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
03/13/02	03/15/02	24	→	0	645	20			Flowing
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
30/64	SI 142#		→	0	645	20		Producing	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
	SI		→						

(See instructions and spaces for additional data on reverse side)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold & Used For Fuel

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
Green River	2,030	5,579			
Wasatch	5,579				

32. Additional remarks (include plugging procedure):


33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 5. Core Analysis | 7. Other: | |

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Cheryl CameronTitle Operations

Signature

Date 4/8/2002

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.


We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.

CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chrono



**United States Department of the Interior****BUREAU OF INDIAN AFFAIRS**

Washington, D.C. 20240

FEB 10 2003IN REPLY REFER TO:
Real Estate Services

**Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078**

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,**Director, Office of Trust Responsibilities****ACTING****Enclosure**

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:
El Paso Production Oil & Gas Company

3. ADDRESS OF OPERATOR:
9 Greenway Plaza CITY Houston STATE TX ZIP 77064-0995 PHONE NUMBER: (832) 676-5933

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____

State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY

By: 
Jon R. Nelsen, Attorney-in-Fact

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.

NAME (PLEASE PRINT) David R. Dix

TITLE Agent and Attorney-in-Fact

SIGNATURE

DATE

12/17/02

(This space for State use only)

Form 3160-5
(August 1999)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

*Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.*FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

SEE ATTACHED EXHIBIT "A"

9. API Well No.

SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY, L.P.

3a. Address

P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED EXHIBIT "A"

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐ Notice of Intent☐ Subsequent Report☐ Final Abandonment Notice☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Fracture Treat☐ New Construction☐ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Reclamation☐ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☒ OtherSUCCESSOR OF
OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletes horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and so forth. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed if testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED

MAR 04 2003

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

CHERYL CAMERON

Title

OPERATIONS

Date

March 4, 2003

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

OPERATOR CHANGE WORKSHEET**ROUTING**

1. GLH

2. CDW ☒

3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **12-17-02**

FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No.

Unit:

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
TABBEE 3-120	03-09S-20E	43-047-33682	13408	INDIAN	GW	P
YA-POO-ITS 3-232	03-09S-20E	43-047-34739	99999	INDIAN	GW	APD
KNIGHT 4-124	04-09S-20E	43-047-33675	13554	INDIAN	GW	P
TRIBAL 4-122	04-09S-20E	43-047-33717	99999	INDIAN	GW	APD
TRIBAL 4-123	04-09S-20E	43-047-34086	13418	INDIAN	GW	P
K SNOW KNIGHT 4-23	04-09S-20E	43-047-30749	130	INDIAN	GW	P
WYASKET 4-231	04-09S-20E	43-047-34740	99999	INDIAN	GW	APD
NBU CIGE 11-14-9-20	14-09S-20E	43-047-30424	10943	FEDERAL	GW	PA
COGC 2-22-9-20 (NAT DUCK 2-22)	22-09S-20E	43-047-30967	9248	FEDERAL	GW	P
COGC 11-22-9-20 GR (UTU-73748)	22-09S-20E	43-047-32464	11653	FEDERAL	GW	P
UTE TRAIL UNIT 52X-22B	22-09S-20E	43-047-15387	9246	FEDERAL	GW	PA
NBU ST 2-36G	36-09S-20E	43-047-30515	5235	STATE	GW	PA
TRIBAL 1 54	01-09S-21E	43-047-32467	11850	INDIAN	GW	P
OURAY 1-101	01-09S-21E	43-047-33382	12803	FEE	GW	P
TRIBAL 1-125	01-09S-21E	43-047-33414	12805	INDIAN	GW	P
TRIBAL 1-126	01-09S-21E	43-047-33415	12804	INDIAN	GW	P
OURAY 1-141	01-09S-21E	43-047-33450	12699	FEE	GW	P
MCCOOK 1-142	01-09S-21E	43-047-33455	12790	INDIAN	GW	P
MCCOOK 1-170	01-09S-21E	43-047-33997	13533	INDIAN	GW	P
TRIBAL 1-203	01-09S-21E	43-047-34518	99999	INDIAN	GW	APD

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
5. If **NO**, the operator was contacted contacted on: _____

6. (R649-9-2) Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: 01/09/2003

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 03/26/2003
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 03/26/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number RLB 0005238
2. The FORMER operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY, L.P.

3a. Address

1368 SOUTH 1200 EAST, VERNAL, UTAH 84078

3b. Phone No. (include area code)

435-781-7060

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

MULTIPLE WELLS- SEE ATTACHED

5. Lease Serial No.

MULTIPLE WELLS- SEE ATTACHED

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

MULTIPLE WELLS- SEE ATTACHED

8. Well Name and No.

MULTIPLE WELLS- SEE ATTACHED

9. API Well No.

MULTIPLE WELLS- SEE ATTACHED

10. Field and Pool, or Exploratory Area

OURAY

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other VARIANCE
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part III C. a. requiring each sales tank be equipped with a pressure- vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.

The volume lost to shrinkage by dropping the tank pressure from 6 ozs. To 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped. The average well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached. Westport Oil & Gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

DEBRA DOMENICI

Title

ENVIRONMENTAL ASSISTANT

Signature

Date

July 9, 2004

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Accepted by the
Utah Division of
Oil, Gas and Mining

Federal Approval Of This
Action Is Necessary

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within the jurisdiction

(Instructions on reverse)

COPY SENT TO OPERATOR

Date:

Initials:

By:

RECEIVED

JUL 14 2004

ALL WELLS ROCKY MOUNTAIN GAS- OURAY ENARDO VARIANCE

WELL	LEGALS	STF LEASE NO	CA NUMBER	API NO
SERAWOP 34-038	SWSW SEC 34, T8S, R21E	14-20-H62-3009	9C-178	4304733290
TABBEE 03-120	SWNE SEC 3, T9S, R20E	14-20-H62-3016	9C-210	4304733682
TABBEE 34-020	NENW SEC 34, T08S, R20E	14-20-H62-2998	9C-207	4304730734
TABBEE 34-108	SWNE SEC 34, T8S, R20E	14-20-H62-2997	9C-207	4304733410
TABBEE 34-109	NESW SEC 34, T8S, R20E	14-20-H62-2999	9C-208	4304733411
TABBEE 34-110	SWSE SEC 34, T8S, R20E	14-20-H62-2997	9C-208	4304733412
TRIBAL 35-210	SWSW SEC 35, T8S, R20E	14-20-H62-3000	9C-184	4304734476
TRIBAL 36-148	SWSE SEC. 36, T8S, R21E	14-20-H62-3014	9C-205	4304734507
UTE TRIBAL 02-050	NWNE LOT 2, SEC 2 T09S, R21E	14-20-H62-2888	9C-187	4304732698
UTE TRIBAL 02-102	SENE SEC 2, T9S, R21E	14-20-H62-2888	9C-187	4304733379
UTE TRIBAL 02-206	SWNE SEC 2, T9S, R21E	14-20-H62-2888	9C-187	4304734478
UTE TRIBAL 04-123	NWNE SEC 4, T9S, R20E	14-20-H62-2942	9C-191	4304734086
UTE TRIBAL 06-01	NENW SEC 6, T9S, R22E	14-20-H62-2890	CR-12	4304730667
UTE TRIBAL 32-03 D3E	NENW LOT 3 SEC 32, T4S, R3E	14-20-H62-4836		4304733160
UTE TRIBAL 35-016	NWSE SEC 35, T8S, R20E	14-20-H62-2870	9C-184	4304730666
UTE TRIBAL 35-019	NESE SEC. 35, T8S, R21E	14-20-H62-2888	9C-182	4304730665
UTE TRIBAL 35-112X	NWSW SEC 35, T8S, R20E	14-20-H62-3000	9C-184	4304734473
UTE TRIBAL 35-113	SESW SEC 35, T8S, R20E	14-20-H62-3001	9C-184	4304733396
UTE TRIBAL 36-017	NWSE SEC 36, T8S, R21E	14-20-H62-2889	9C-205	4304730682
UTE TRIBAL 36-065	NESE SEC 36, T8S, R21E	14-20-H62-2889	9C-205	4304733293
WEEKS 06-154	NESE SEC 6, T9S, R21E	14-20-H62-3021	CR-144	4304733924
WISSIUP 36-015	NWSE SEC 36, T8S, R20E	14-20-H62-3003	CR-I-219	4304730700
WYASKET 33-026	NWSE SEC 33, T8S, R20E	14-20-H62-2994	CR-172	4304730907
WYASKET 33-106	SESE SEC 33, T8S, R20E	14-20-H62-2994	CR-172	4304733409
WYASKET 33-219	SWSE SEC 33, T8S, R20E	14-20-H62-2994	CR-172	4304734477

ALL WELLS ROCKY MOUNTAIN GAS- OURAY ENARDO VARIANCE

WELL	LEGALS	STF LEASE NO	CA NUMBER	API NO
ANKERPONT 31-012	SWSE SEC 31, T8S, R21E	14-20-H62-3007	9C-209	4304730699
ANKERPONT 31-039	LOT 3 SEC 31, T8S, R21E	14-20-H62-3006	9C-209	4304733339
ANKERPONT 31-086	SESW SEC 31, T8S, R21E	14-20-H62-3006	9C-209	4304733384
ANKERPONT 35-036	NESW SEC 35, T8S, R21E	14-20-H62-3012	9C-182	4304731960
ANKERPONT ETAL 02-06	LOT 3 SEC 2, T9S, R21E	14-20-H62-3012	9C-187	4304730572
ARCHEE 01-117	NWNE SEC 1, T9S, R20E	14-20-H62-3015	CR-168	4304733388
BLACK 05-044	NESW SEC 5, T9S, R21E	14-20-H62-3020	CR-4	4304732537
BLACK 06-035	SENE SEC 6, T9S, R21E	14-20-H62-3021	9C-179	4304731872
BLACK 06-155	NENE SEC 6, T9S, R21E	14-20-H62-3021	9C-000179	4304734960
BLUEFEATHER 04-30	NESE SEC 4, T9S, R21E	14-20-H62-3650	UT080P49-84C721	4304731000
CTB-E1S	NESW SEC 1, T9S, R21 E			
CTB-E2S	NWSE SEC 2, T9S, R21 E			
CTB-E30S	SESW SEC 30, T8S, R22E			
CTB-E31N	SESW SEC 31, T8S, R22E			
CTB-E34S	SWSE SEC 34, T8S, R21E			
CTB-E35N	SWNE SEC 35, T8S, R21E			
CTB-E35S	NWSE SEC 35, T8S, R21E			
CTB-E36S	SWSW SEC 36, T8S, R21E			
CTB-E6N	NENW SEC 6, T9S, R22E			
CTB-W1S	SWSE SEC 1, T9S, R20E			
CTB-W31N	SESW SEC 31, T8S, R21E			
CTB-W32SE	NWSE SEC 32, T8S, R21E			
CTB-W33S	NWSE SEC 33, T8S, R21E			
CTB-W34N	SESW SEC 34, T8S, R20E			
CTB-W35N	SWNE SEC 35, T8S, R20E			
CTB-W36S	NESE SEC 36, T8S, R20E			
CTB-W4S	NESE SEC 4, T9S, R21E			
CTB-W5S	SWSE SEC 5, T9S, R21E			
CTB-W6S	SWSW SEC 6, T9S, R21E			
DM ICE FRIDAY 34-22	NESE SEC 34, T8S, R20E	14-20-H62-2997	9C-208	4304730753
DUNCAN FED 33-09	SWSE SEC 33, T8S, R21E	14-20-H62-3701	NRM-1705	4304730643
FEDERAL 33-93	SWSW SEC 33, T8S, R21E	UTU9809	NRM-1705	4304733386
FEDERAL 35-05	NWNW SEC 35, T8S, R21E	UTU8621	NRM-1604	4304730563
HALL ETAL 31-018	NWNW SEC 31, T8S, R22E	FEE	NRM-1887	4304730664
IGNACIO 33-107	SESW SEC 33, T8S, R20E	14-20-H62-2995	CR-172	4304733674
IGNACIO 33-221	NESW SEC 33, T8S, R20E	14-20-H62-2995	CR-172	4304734475
JENKS 05-011	LOT 3 SEC 5, T9S, R21E	14-20-H62-3008	9C-183	4304730726
K SNOW KNIGHT 04-23	NENW SEC 4, T9S, R20E	14-20-H62-2942	9C-191	4304730749
KNIGHT 4-124	LOT 5 SEC 4, T9S, R20E	14-20-H62-3017	9C-191	4304733675
KURIP 01-027	NENW SEC 1, T9S, R20E	14-20-H62-3004	CR-168	4304730962
McCOOK 01-170	SWNW SEC 1, T9S, R21E	14-20-H62-4729	UTU76246	4304733997
MTN LION ETAL 34-2	NESE SEC 34, T8S, R21E	14-20-H-62-3010	9C178	4304730338
OURAY 06-066	NWSE SEC 6, T9S, R21E	14-20-H62-3022	CR-144	4304733284
OURAY 06-071	SESW SEC 6, T9S, R21E	14-20-H62-3028	CR-144	4304733285
OURAY 06-084	SWNW LOT 5 SEC 6, T9S, R21E	14-20-H62-3023	CR-144	4304734026
OURAY 32-070	SWSE SEC 32, T8S, R21E	14-20-H62-3024	9C-204	4304733289
OURAY 33-090	SESE SEC 33, T8S, R21E	14-20-H62-3650	NRM-1705	4304733381
OURAY 34-079	NESW SEC 34, T8S, R21E	14-20-H62-3009	9C-178	4304733291
OURAY 35-174	NENE SEC 35 T8S R21E	FEE	NRM-1604	4304733248
OURAY SWD 1	NENE SEC. 1, T9S, R21E	UTU-76246		4304733449
PAWWINNEE 34-049	SWSE SEC 34, T8S, R21E	14-20-H62-3010	9C-178	4304732694
PAWWINNEE ETAL 03-10	LOT 3 SEC 3, T9S, R21E	14-20-H62-3009	9C-186	4304730662
PINNACOOSE 06-03	SESW SEC 6, T9S, R21E	14-20-H62-3028	9C-179	4304730428
POST 03-024	NENW SEC 3, T9S, R20E	14-20-H62-3026	9C-210	4304730804
SANTIO 4-233	SWNW SEC. 4, T9S, R21E	14-20-H62-3894	UT08049I-84C725	4304734776
SERAWOP 04-013	SESW SEC 4, T9S, R21E	14-20-H62-3701	UT08049I-84C725	4304730663

Westport Oil & Gas, L.P.

Project Economics Worksheet

Instructions:

Fill in blue boxed areas with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name:

Condensate Shrinkage Economics

Is this job a well pull or production rig job ??? ☐ N (Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULING UNIT SERVICE			\$0
WIRELINE SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
Totals	\$0	\$350	\$350

Increased OPX Per Year

Investment Breakdown:

	Cap/Exp Code	Cost, \$
Capital \$	820/830/840	\$1,200
Expense \$	830/860	\$0
Total \$		\$1,200

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.42	\$/MCF

Production & OPX Detail:

	Before	After	Difference
Oil Production	0.192 BOPD	0.194 BOPD	0.002 BOPD
Gas Production	0 MCFPD	0 MCFPD	0 MCFPD
Wtr Production	0 BWPD	0 BWPD	0 BWPD
Horse Power	0 HP	0 HP	0 HP
Fuel Gas Burned	0 MCFPD	0 MCFPD	0 MCFPD

Project Life:

Life = 20.0 Years
(Life no longer than 20 years)

Internal Rate of Return:

After Tax IROR = #DIV/0!

AT Cum Cashflow:

Operating Cashflow = (\$2,917) (Discounted @ 10%)

Payout Calculation:

Payout = $\frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}}$ = 1

Payout occurs when total AT cashflow equals investment
See graph below, note years when cashflow reaches zero

Payout = NEVER Years or #VALUE! Days


Gross Reserves:

Oil Reserves = 6 BO
Gas Reserves = 0 MCF
Gas Equiv Reserves = 38 MCFE

Notes/Assumptions:

An average NBU well produces 0.192 Bopd with no tank pressure. The production is increased to 0.194 Bopd if 4 ozs of pressure are placed on the tank. The increased production does not payout the valve cost or the estimated annual maintenance costs.

Project: Condensate Shrinkage Economics



Westport Oil and Gas, Inc.
NBU/Ouray Field
RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl) (A)	Specific Gravity of Flashed Gas (Air=1.000)	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F				

Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/6/2006

FROM: (Old Operator):

N2115-Westport Oil & Gas Co., LP
 1368 South 1200 East
 Vernal, UT 84078

Phone: 1-(435) 781-7024

TO: (New Operator):

N2995-Kerr-McGee Oil & Gas Onshore, LP
 1368 South 1200 East
 Vernal, UT 84078

Phone: 1-(435) 781-7024

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
-----------	-----	-----	-----	--------	-----------	------------	-----------	-------------

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- a. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- b. If **NO**, the operator was contacted on:
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on:
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
The Division sent response by letter on:

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

KERR-McGEE OIL & GAS ONSHORE LP

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006.
KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

BLM BOND = C01203

BIA BOND = RLB0005239

APPROVED 5/16/06

Earlene Russell

**Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician**

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

RANDY BAYNE

Signature

Randy Bayne

Title

DRILLING MANAGER

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
MAY 10 2006

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

BRAD LANEY

Signature

Title

ENGINEERING SPECIALIST

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Brad Laney

Title

Office

Date

5-9-06

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

14-20-H62-3016

6. If Indian, Allottee or Tribe Name

UINTAH AND OURAY

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

TABBE 3-120

9. API Well No.

43-047-33682

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SWNE SECTION 3-T9S-R20E 1440'FNL & 1930'FEL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other TEMPORARILY SHUT-IN
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE SUBJECT FLOOD PLAIN WELL HAS BEEN TEMPORARILY SHUT-IN ON 5/16/05.
DUE TO THE FLOOD IN THE FLOOD PLAIN AREA. THE SUBJECT FLOOD PLAIN WELL LOCATION
SHALL BE TEMPORARILY SHUT-IN FOR A PERIOD OF 90 DAYS OR UNTIL SUCH TIME THE
FLOOD WATERS HAVE BEEN DEPLETED.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Signature

Title

Regulatory Analyst

Date

May 26, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

JUN 01 2005

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L P

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SWNE SECTION 3-T9S-R20E 1440'FNL & 1930'FEL

5. Lease Serial No.

14-20-H62-3016

6. If Indian, Allottee or Tribe Name

UINTAH AND OURAY

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

TABBEE 3-120

9. API Well No.

43-047-33682

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other PRODUCTION START-UP
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE SUBJECT WELL LOCATION WAS RETURNED TO PRODUCTION ON 6/10/05 AT 1:00 PM.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Signature



Title

Regulatory Analyst

Date

June 23, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

JUN 23 2005

DIV. OF OIL, GAS & MIN.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-3016
1. TYPE OF WELL Gas Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONSHORE, L.P.		7. UNIT or CA AGREEMENT NAME:
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th Street, Suite 600, Denver, CO, 80217 3779		8. WELL NAME and NUMBER: TABBEE 3-120
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1440 FNL 1930 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNE Section: 03 Township: 09.0S Range: 20.0E Meridian: S		9. API NUMBER: 43047336820000
		9. FIELD and POOL or WILDCAT: NATURAL BUTTES
		COUNTY: UINTAH
		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 12/17/2012 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input type="text"/>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. The operator requests authorization to plug and abandon the subject well location. Attached is the plug and abandonment procedure. Thank you. <div style="text-align: right;">Accepted by the Utah Division of Oil, Gas and Mining Date: December 20, 2012 By: <u>Derek Quist</u></div>		
NAME (PLEASE PRINT) Jaime Scharnowske	PHONE NUMBER 720 929-6304	TITLE Regulatory Analyst
SIGNATURE N/A	DATE 12/17/2012	

TABBEE 3-120
1440' FNL & 1930' FEL
NESWNE SEC.3, T9S, R20E
Uintah County, UT

KBE: 4670'
GLE: 4653'
TD: 7625'
PBTD: 7573'

API NUMBER: 4304733682
LEASE NUMBER: 14-20-H62-3016

CASING : 12 ¼" hole
 8.625" 24# J-55 @ 455'
 Cmt to surface

 7.875" hole
 4.5" 11.6# K-55 @ 7625'
 TOC @ 1080' per CBL

PERFORATIONS: Wasatch 6750' – 7402'

TUBING: EOT @ 7340' (per completion report dated 3/5/02)
 SSSV @ ~31'
 Hyd Set Packer @ 304'

Tubular/Borehole	Drift inches	Collapse psi	Burst psi	Capacities		
				Gal./ft.	Cuft/ft.	Bbl./ft.
2.375" 4.7# J-55 tbg.	1.901	8100	7700	0.1624	0.02171	0.00387
4.5" 11.6# J/K-55	3.875	4960	5350	0.6528	0.0872	0.0155
8.625" 24# J-55	8.097	1370	2950	2.6749	0.3537	0.0636
Annular Capacities						
2.3/8" tbg. X 4 ½" 17# csg				0.4226	0.0565	0.01
4.5" csg X 8 5/8" 24# csg				1.8487	0.2471	0.044
4.5" csg X 7 7/8 borehole				1.704	0.2278	0.0406
8.5/8" csg X 12 1/4" borehole				3.0874	0.4127	0.0735

GEOLOGIC INFORMATION:

Formation	Depth to top, ft.
Uinta	Surface
Green River	2030'
Bird's Nest	2241'
Mahogany	2843'
Base of Parachute	3800'
Wasatch	5579'

Tech. Pub. #92 Base of USDW's

USDW Elevation	~4500' MSL
USDW Depth	~170' KBE

TABBEE 3-120 PLUG & ABANDONMENT PROCEDURE

GENERAL

- H₂S MAY BE PRESENT. CHECK FOR H₂S AND TAKE APPROPRIATE PRECAUTIONS.
- CEMENT QUANTITIES BELOW ASSUME NEAT CLASS G, YIELD 1.145 CUFT./SX. IF A DIFFERENT PRODUCT IS USED, WELLSITE PERSONNEL ARE RESPONSIBLE FOR CORRECTING QUANTITIES TO YIELD THE STATED SLURRY VOLUME. WHEN SQUEEZING, INCLUDE 10% EXCESS PER 1000' OF DEPTH.
- TREATED FRESH WATER WILL BE PLACED BETWEEN ALL PLUGS INSTEAD OF BRINE.
- ALL DISPLACEMENT FLUID SHALL CONTAIN CORROSION INHIBITOR AND BIOCIDES. PREMIX 5 GALLONS PER 100 BBLS FLUID.
- NOTIFY BLM 24 HOURS BEFORE MOVING ON LOCATION.
- A GPS READING WILL NEED TO BE TAKEN AT THE WELL SITE AND RECORDED IN OPENWELLS. PLEASE TAKE IT TO THE 6TH DECIMAL PLACE.

PROCEDURE

Note: Approx. **296 sx** Class "G" cement needed for procedure, **(1) 4.5" CIBP**.

Note: No Gyro has not been run on this well.

1. A GPS READING WILL NEED TO BE TAKEN AT THE WELL SITE AND RECORDED IN OPENWELLS. PLEASE TAKE IT TO THE 6TH DECIMAL PLACE.
2. MIRU. KILL WELL AS NEEDED. ND WH, NU AND TEST BOPE.
3. UNSEAST PKR AND POOH W/ TBG AND PKR & L/D SAME. RU WIRELINE AND MAKE A GAUGE RING RUN TO CHECK FOR FILL. RUN GYRO SURVEY.
4. **PLUG #1, ISOLATE WAS PERFORATIONS (6750' - 7402'):** RIH W/ 4 ½" CIBP. SET @ ~6700'. RELEASE CIBP, PUH 10', BRK CIRC W/ FRESH WATER. RELEASE CIBP, PUH 10', BRK CIRC W/ FRESH WATER. DISPLACE A MINIMUM OF **8 SX / 1.6 BBL / 8.7 CUFT.** ON TOP OF PLUG. PUH ABOVE TOC (~6600'). REVERSE CIRCULATE W/ TREATED WATER.
5. **PLUG #2, PROTECT TOP OF WASATCH (5579'):** PUH TO ~5700'. BRK CIRC W/ FRESH WATER. DISPLACE **23 SX / 4.7 BBL / 26.2 CUFT.** AND BALANCE PLUG W/ TOC @ ~5400' (300' COVERAGE). PUH ABOVE TOC. REVERSE CIRCULATE W/ TREATED WATER.
6. **PLUG #3, PROTECT BASE OF PARACHUTE (~3800'):** PUH TO ~3900'. BRK CIRC W/ FRESH WATER. DISPLACE **16 SX / 3.1 BBL / 17.4 CUFT.** AND BALANCE PLUG W/ TOC @ ~3700' (200' COVERAGE). PUH ABOVE TOC. REVERSE CIRCULATE W/ TREATED WATER.
7. **PLUG #4, PROTECT TOP OF MAHOGANY (2843'), TOP OF BIRD'S NEST (~2241'), & TOP OF GREEN RIVER (2030'):** PUH TO ~3000'. BRK CIRC W/ FRESH WATER. DISPLACE **84 SX / 17.1 BBL / 95.9 CUFT.** AND BALANCE PLUG W/ TOC @ ~1900' (1100' COVERAGE). PUH ABOVE TOC. REVERSE CIRCULATE W/ TREATED WATER.
8. **PLUG #5, PROTECT SURF CASING SHOE (455'), BASE OF USDW (~170') & FILL SURFACE HOLE:** POOH. RIH W/ WIRELINE, PERFORATE @ ~505' W/ 4 SPF. POOH W/ WIRELINE. RU CEMENT SERVICE TO PROD CSG. PUMP **165 SX / 33.7 BBL / 189.4 CUFT.** OR SUFFICIENT VOLUME TO FILL ANNULUS AND CASING TO SURFACE.
9. CUT OFF WELLHEAD AND INSTALL MARKER PER BLM GUIDELINES.
10. RDMO. TURN OVER TO OPERATIONS FOR SURFACE REHAB. SURFACE RECLAMATION TO BE PERFORMED IN ACCORDANCE TO REGULATIONS.

ALM 11/28/12

RECEIVED: Dec. 17, 2012




APC 206 2/01

PROJECT COMPUTATIONS

NO. _____ OF _____ SHEETS

DATE _____ PROJECT TABEE 3-120 JOB NO. _____

BY _____ CHK.: _____ SUBJECT _____



$$\textcircled{1} \text{ CIBP @ 6700} \\ 100' \text{ CMH} = 8.7 \text{ cwt} / 8.5\%$$

$$\textcircled{2} \text{ WAS TOP} \\ \text{CMH F/ 5700 - 5400} \\ 300 \times .0872 = 26.2 / 23\%$$

$$\textcircled{3} \text{ BS PAR} \\ \text{CMH F/ 3900 - 3700} \\ 200 \times .0872 = 17.4 / 16\%$$

$$\textcircled{4} \text{ MAH BN GR} \\ \text{CMH F/ 3000 - 1900} \\ 1100 \times .0872 = 95.9 \text{ cwt} / 84\%$$

$$\textcircled{5} \text{ PRF @ 5400 \sim 505} \\ \begin{array}{r} 50 \times .4127 = 20.6 \\ 505 \times .0872 = 44.0 \\ 505 \times .2471 = 124.8 \\ \hline 189.4 \text{ cwt} / 165\% \end{array}$$

DATE: <u>03/05/02</u>	WELL: <u>TARBEE #120</u>	COUNTY: <u>Utah</u>	SEC: <u>3</u>
FOREMAN: <u>HAL BLANCHARD</u>	FIELD: <u>CURAY</u>	STATE: <u>Utah</u>	TWS: <u>BS</u>
			RGE: <u>20E</u>

<table border="0"> <tr> <td>KB</td> <td><u>17.00</u></td> </tr> <tr> <td>Tag Hanger</td> <td><u>1.00</u></td> </tr> <tr> <td>1 JT 2-3/8 TBG</td> <td><u>31.28</u></td> </tr> <tr> <td>SSSV</td> <td><u>4.8</u></td> </tr> <tr> <td>8 JTS 2-3/8 TBG</td> <td><u>250.09</u></td> </tr> <tr> <td>4-1/2 HYD SET PKR</td> <td><u>5.51</u></td> </tr> <tr> <td>8-5/8" Csg @</td> <td><u>453'</u></td> </tr> <tr> <td>224 Jts</td> <td><u>6996.73</u></td> </tr> <tr> <td>PSN</td> <td><u>1.10</u></td> </tr> <tr> <td>1 JT TBG</td> <td><u>31.22</u></td> </tr> <tr> <td>PUMP OFF</td> <td><u>1.00</u></td> </tr> <tr> <td>EOT @</td> <td><u>7340</u></td> </tr> <tr> <td>Orig. PBTD</td> <td><u>7573</u></td> </tr> <tr> <td>4 1/2" Csg @</td> <td><u>7824</u></td> </tr> </table>	KB	<u>17.00</u>	Tag Hanger	<u>1.00</u>	1 JT 2-3/8 TBG	<u>31.28</u>	SSSV	<u>4.8</u>	8 JTS 2-3/8 TBG	<u>250.09</u>	4-1/2 HYD SET PKR	<u>5.51</u>	8-5/8" Csg @	<u>453'</u>	224 Jts	<u>6996.73</u>	PSN	<u>1.10</u>	1 JT TBG	<u>31.22</u>	PUMP OFF	<u>1.00</u>	EOT @	<u>7340</u>	Orig. PBTD	<u>7573</u>	4 1/2" Csg @	<u>7824</u>	<table border="0"> <tr> <td>RIG No.</td> <td><u>TWS #1</u></td> </tr> <tr> <td colspan="2">CASING RECORD</td> </tr> <tr> <td>SIZE</td> <td>WT</td> <td>GRADE</td> <td>THD</td> <td>FROM</td> <td>TO</td> </tr> <tr> <td>8-5/8</td> <td>24#</td> <td>K-55</td> <td>ST-C</td> <td>SURF</td> <td>453'</td> </tr> <tr> <td>4-1/2</td> <td>11.6#</td> <td>K-55</td> <td>LT&C</td> <td>SURF</td> <td>7825</td> </tr> <tr> <td colspan="6">4-1/2" PKR SET @ 304.17</td> </tr> <tr> <td colspan="6">TUBING RECORD</td> </tr> <tr> <td>SIZE</td> <td>WT</td> <td>GRADE</td> <td>THD</td> <td>FROM</td> <td>TO</td> </tr> <tr> <td>2-3/8</td> <td>4.7#</td> <td>J-55</td> <td>8 RD</td> <td>SURF</td> <td>7339.73</td> </tr> <tr> <td colspan="6">JTS PSN TAG MUD ANCHOR</td> </tr> <tr> <td>233</td> <td>7306</td> <td></td> <td></td> <td>Size</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Length</td> <td></td> </tr> <tr> <td colspan="6">SUCKER ROD RECORD</td> </tr> <tr> <td>NO</td> <td>SIZE</td> <td>GRADE</td> <td>CPG</td> <td></td> <td></td> </tr> <tr> <td colspan="6">ROD ROTATOR Yes <input type="checkbox"/> No <input type="checkbox"/></td> </tr> <tr> <td colspan="6">GAS ANCHOR Size <input type="text"/> Length <input type="text"/></td> </tr> <tr> <td colspan="6">ROD GUIDE PLACEMENT (DESCRIBE):</td> </tr> <tr> <td colspan="6">PUMP DATA:</td> </tr> <tr> <td>MANUER</td> <td>SIZE</td> <td>DESCR</td> <td></td> <td></td> <td></td> </tr> <tr> <td>SPM</td> <td></td> <td>SL</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="6">COMMENTS/PERFORATIONS:</td> </tr> <tr> <td colspan="6">MIRU 2/28/02 WASATCH COMPLETION</td> </tr> <tr> <td colspan="6">PERF 7362'-7402" (3 SPF) (30 HOLES) 6974'-6984'</td> </tr> <tr> <td colspan="6">(3SPF) (30 HOLES) 6750'-6756" (4SPF) (24 HOLES)</td> </tr> <tr> <td colspan="6">PUMPED 1716 BBLs YF115ST GEL 161960# 20/40 SAND</td> </tr> <tr> <td colspan="6">SET SSSV @ 49.28 HYD PKR @ 304.17 SN @ 7306</td> </tr> <tr> <td colspan="6">EOT @ 7339.73</td> </tr> <tr> <td colspan="6">RDMO 3/6/02</td> </tr> </table>	RIG No.	<u>TWS #1</u>	CASING RECORD		SIZE	WT	GRADE	THD	FROM	TO	8-5/8	24#	K-55	ST-C	SURF	453'	4-1/2	11.6#	K-55	LT&C	SURF	7825	4-1/2" PKR SET @ 304.17						TUBING RECORD						SIZE	WT	GRADE	THD	FROM	TO	2-3/8	4.7#	J-55	8 RD	SURF	7339.73	JTS PSN TAG MUD ANCHOR						233	7306			Size						Length		SUCKER ROD RECORD						NO	SIZE	GRADE	CPG			ROD ROTATOR Yes <input type="checkbox"/> No <input type="checkbox"/>						GAS ANCHOR Size <input type="text"/> Length <input type="text"/>						ROD GUIDE PLACEMENT (DESCRIBE):						PUMP DATA:						MANUER	SIZE	DESCR				SPM		SL				COMMENTS/PERFORATIONS:						MIRU 2/28/02 WASATCH COMPLETION						PERF 7362'-7402" (3 SPF) (30 HOLES) 6974'-6984'						(3SPF) (30 HOLES) 6750'-6756" (4SPF) (24 HOLES)						PUMPED 1716 BBLs YF115ST GEL 161960# 20/40 SAND						SET SSSV @ 49.28 HYD PKR @ 304.17 SN @ 7306						EOT @ 7339.73						RDMO 3/6/02					
KB	<u>17.00</u>																																																																																																																																																																																												
Tag Hanger	<u>1.00</u>																																																																																																																																																																																												
1 JT 2-3/8 TBG	<u>31.28</u>																																																																																																																																																																																												
SSSV	<u>4.8</u>																																																																																																																																																																																												
8 JTS 2-3/8 TBG	<u>250.09</u>																																																																																																																																																																																												
4-1/2 HYD SET PKR	<u>5.51</u>																																																																																																																																																																																												
8-5/8" Csg @	<u>453'</u>																																																																																																																																																																																												
224 Jts	<u>6996.73</u>																																																																																																																																																																																												
PSN	<u>1.10</u>																																																																																																																																																																																												
1 JT TBG	<u>31.22</u>																																																																																																																																																																																												
PUMP OFF	<u>1.00</u>																																																																																																																																																																																												
EOT @	<u>7340</u>																																																																																																																																																																																												
Orig. PBTD	<u>7573</u>																																																																																																																																																																																												
4 1/2" Csg @	<u>7824</u>																																																																																																																																																																																												
RIG No.	<u>TWS #1</u>																																																																																																																																																																																												
CASING RECORD																																																																																																																																																																																													
SIZE	WT	GRADE	THD	FROM	TO																																																																																																																																																																																								
8-5/8	24#	K-55	ST-C	SURF	453'																																																																																																																																																																																								
4-1/2	11.6#	K-55	LT&C	SURF	7825																																																																																																																																																																																								
4-1/2" PKR SET @ 304.17																																																																																																																																																																																													
TUBING RECORD																																																																																																																																																																																													
SIZE	WT	GRADE	THD	FROM	TO																																																																																																																																																																																								
2-3/8	4.7#	J-55	8 RD	SURF	7339.73																																																																																																																																																																																								
JTS PSN TAG MUD ANCHOR																																																																																																																																																																																													
233	7306			Size																																																																																																																																																																																									
				Length																																																																																																																																																																																									
SUCKER ROD RECORD																																																																																																																																																																																													
NO	SIZE	GRADE	CPG																																																																																																																																																																																										
ROD ROTATOR Yes <input type="checkbox"/> No <input type="checkbox"/>																																																																																																																																																																																													
GAS ANCHOR Size <input type="text"/> Length <input type="text"/>																																																																																																																																																																																													
ROD GUIDE PLACEMENT (DESCRIBE):																																																																																																																																																																																													
PUMP DATA:																																																																																																																																																																																													
MANUER	SIZE	DESCR																																																																																																																																																																																											
SPM		SL																																																																																																																																																																																											
COMMENTS/PERFORATIONS:																																																																																																																																																																																													
MIRU 2/28/02 WASATCH COMPLETION																																																																																																																																																																																													
PERF 7362'-7402" (3 SPF) (30 HOLES) 6974'-6984'																																																																																																																																																																																													
(3SPF) (30 HOLES) 6750'-6756" (4SPF) (24 HOLES)																																																																																																																																																																																													
PUMPED 1716 BBLs YF115ST GEL 161960# 20/40 SAND																																																																																																																																																																																													
SET SSSV @ 49.28 HYD PKR @ 304.17 SN @ 7306																																																																																																																																																																																													
EOT @ 7339.73																																																																																																																																																																																													
RDMO 3/6/02																																																																																																																																																																																													

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-3016
1. TYPE OF WELL Gas Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONSHORE, L.P.		7. UNIT or CA AGREEMENT NAME:
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th Street, Suite 600, Denver, CO, 80217 3779		8. WELL NAME and NUMBER: TABBEE 3-120
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1440 FNL 1930 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNE Section: 03 Township: 09.0S Range: 20.0E Meridian: S		9. API NUMBER: 43047336820000
PHONE NUMBER: 720 929-6100		9. FIELD and POOL or WILDCAT: NATURAL BUTTES
COUNTY: UINTAH		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 8/15/2014	<input type="checkbox"/> ALTER CASING	
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CASING REPAIR	
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	
	<input type="checkbox"/> CHANGE WELL STATUS	
	<input type="checkbox"/> CHANGE TUBING	
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	
	<input type="checkbox"/> DEEPEN	
	<input type="checkbox"/> FRACTURE TREAT	
	<input checked="" type="checkbox"/> PLUG AND ABANDON	
	<input type="checkbox"/> NEW CONSTRUCTION	
	<input type="checkbox"/> OPERATOR CHANGE	
	<input type="checkbox"/> RECLAMATION OF WELL SITE	
	<input type="checkbox"/> PLUG BACK	
	<input type="checkbox"/> PRODUCTION START OR RESUME	
	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION	
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	
	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	
	<input type="checkbox"/> TEMPORARY ABANDON	
	<input type="checkbox"/> TUBING REPAIR	
	<input type="checkbox"/> VENT OR FLARE	
	<input type="checkbox"/> WATER DISPOSAL	
	<input type="checkbox"/> WATER SHUTOFF	
	<input type="checkbox"/> SI TA STATUS EXTENSION	
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	
	<input type="checkbox"/> OTHER	
	OTHER: <input style="width: 100px;" type="text"/>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. <div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p style="text-align: center;">THE OPERATOR HAS COMPLETED PLUGGING AND ABANDONMENT PROCEDURES FOR THE REFERENCED WELL. PLEASE SEE THE ATTACHED OPERATIONS SUMMARY REPORT.</p> </div> <div style="width: 35%; text-align: right;"> <p>Accepted by the Utah Division of Oil, Gas and Mining</p> <p>FOR RECORD ONLY</p> <p>September 09, 2014</p> </div> </div>		
NAME (PLEASE PRINT) Kay E. Kelly	PHONE NUMBER 720 929 6582	TITLE Regulatory Analyst
SIGNATURE N/A	DATE 9/8/2014	

US ROCKIES REGION
Operation Summary Report

Well: TABBEE 03-120

Spud Date: 1/22/2002

Project: UTAH-UINTAH

Site: TABBEE 03-120

Rig Name No: GWS 1/1

Event: ABANDONMENT

Start Date: 8/11/2014

End Date: 8/15/2014

Active Datum: RKB @0.00usft (above Mean Sea Level)

UWI: TABBEE 03-120

Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD From (usft)	Operation
8/11/2014	10:00 - 15:00	5.00	ABANDP	30	A	P		ROAD RIG FROM NBU 921-18D3DS TO LOC. WAIT FOR CEMENT BLOCKS TO GET SET, SITP=1,800# MIRU, SPOT EQUIP, R/U BLOW DOWN EQUIP, START BLOWING WELL DOWN, FTP=130# SWIFN.
	15:00 - 18:00	3.00	ABANDP	33	F	P		
8/12/2014	7:00 - 7:15	0.25	ABANDP	48		P		HSM, BLOWING DOWN WELL
	7:15 - 13:00	5.75	ABANDP	46	F			SITP=1,800#, BLOW WELL DOWN, MIRU CASED HOLE SOLUTIONS, P/U RIH W/ TBG PUNCHER, PUNCH HOLES @=500' JUST BELOW PKR, WTR TRUCK HAD PROBLEMS GETTING ONTO LOC, WAITING ON PHONE CALL FROM BIA TO SEE IF REPAIRS CAN BE DONE ON ROAD, BECAUSE TRUCKS ARE SINKING AND GETTING STUCK.
	13:00 - 17:00	4.00	ABANDP	41	B	P		RIH W/ GYRO LOG
8/13/2014	7:00 - 7:15	0.25	ABANDP	48		P		HSM, KILLING WELL
	7:15 - 11:00	3.75	ABANDP	31	H	P		STUBBS & STUBBS WORKING ON ROAD INTO LOC.
								FTP=300#, TURN WELL TO F/B TANK BLOW DOWN, PUMP'D 40 BBLS, DID NOT HOLD WELL PRESSURE, PUMP'D 40 BBLS BRINE, TO KILL WELL, N/D WELL HEAD, N/U BOP, R/U TBG EQUIP, UNSET PKR, PULL OUT OF HOLE W/ SUB SURFACE VALVE AND LAY DOWN, PULL OUT OF HOLE W/ PKR AND LAY DOWN, MIRU SCAN TECH
	11:00 - 14:30	3.50	ABANDP	31	I	P		SCAN OUT OF HOLE W/ 234 JNTS 2-3/8 YELLOW BAND,
	14:30 - 18:00	3.50	ABANDP	34		P		MIRU CASED HOLE, P/U GAUGE RING RUN DOWN TO 6,800', POOH L/D GAUGE RING, P/U RIH W/ CIBP SET @=6,700',
	18:00 - 20:00	2.00	ABANDP	31	I	P		P/U N/C RIH W/ 208 JNTS 2-3/8 TBG, SWIFN
8/14/2014	7:00 - 7:15	0.25	ABANDP	48		P		HSM, CEMENTING

US ROCKIES REGION

Operation Summary Report

Well: TABBEE 03-120

Spud Date: 1/22/2002

Project: UTAH-UINTAH

Site: TABBEE 03-120

Rig Name No: GWS 1/1

Event: ABANDONMENT

Start Date: 8/11/2014

End Date: 8/15/2014

Active Datum: RKB @0.00usft (above Mean Sea Level)

UWI: TABBEE 03-120

Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD From (usft)	Operation
	7:15 - 19:00	11.75	ABANDP	51	D	P		<p>SIWP=0#, OPEN WELL P/U RIH W/ 20 JNTS TBG, TAG CIBP @=6,700', CIRC WELL W/ 30 BBLs, SHUT WELL IN PRESSURE TEST TO 600# GOOD TEST, [BLM HAND WITNESSED TEST CALLED IT GOOD] [PLUG #1] MIRU PRO PETRO, PUMP'D 10 SX CLASS G CEMENT, L/D 6 JNTS REVERSED OUT,</p> <p>[PLUG #2] L/D 32 JNTS EOT @=5,698' PUMP'D 23 SX CLASS G, L/D 11 JNTS, REVERSED OUT.</p> <p>[PLUG #3] L/D 57 JNTS EOT @=3,913 PUMP'D 16 SX CLASS G, L/D 8 JNTS, REVERSED OUT.</p> <p>[PLUG #4] L/D 29 JNTS EOT @=3,005' PUMP'D 84 SX CLASS G, POOH LAYING REMAINING TBG.</p> <p>[PLUG#5] P/U RIH W/ PERF GUN SHOOT HOLES @=502' HOOKED TRIED PUMPING INTO @=1,200# @=1.2 BPM, COULD NOT GET IT TO CIRC TO SURFACE, P/U RIH W/ PERF GUN SHOOT HOLES @=465' TRIED CIRC PUMP'D 50 BBLs @ 4.5 BPM @ 800#,</p> <p>RIH W/ 20 JNTS, EOT @=626' SWIFN.</p>
8/15/2014	7:00 - 7:15	0.25	ABANDP	48		P		HSM, CUTTING WELL HEAD OFF
	7:15 - 11:00	3.75	ABANDP	51	C	P		<p>EOT @=626' FUMP 50 SX CLASS G TO FILL 4-1/2 CSG, L/D 20 JNTS 2-3/8 TBG, R/D TBG EQUIP, N/D BOPS, R/D PULLING UNIT, CUT BRAIDEN HEAD OFF, TOP OFF 4-1/2 W/ CEMENT, RUN DOWN ANNULAS W/ 200' 1" FILL W/ CEMENT TO SURFACE, BLM HAND SAID IT LOOKED GOOD, WELDED MARKER ON WELL.</p>